

APPENDIX 2. NOTIFICATION TEMPLATE

IMPORTANT INFORMATION ABOUT YOUR DRINKING WATER

Este informe contiene información muy importante sobre su agua potable. Por favor hable con alguien que lo pueda traducir.

Daim ntawv qhia no tseem ceeb heev txog koj cov dej haus. Thov nrog ib tug neeg uas yuav txhais tau nws.

Lead & Copper Monitoring Requirements

Not Met for Turlock Auction Yard, Inc Water System for 1st Initial 6-month (January - June) 2026 Monitoring Period

Our water system recently violated a drinking water standard. Although this is not an emergency, as our customers, you have a right to know what happened, what you should do, and what we did to correct the situation.

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Between January and June of 2026, we did not meet the initial monitoring requirements for Lead and Copper and therefore cannot be sure of the quality of our drinking water during that time.

What should I do?

- You do not need to boil your water or take other corrective actions.
- The table below lists the contaminant we did not properly test between January - June 2026 and how many samples we are required to take and how often, how many samples we took, when samples should have been taken, and the date on which follow-up samples will be taken.

Contaminant	Required sampling frequency	Number of rounds taken	When first round should have been taken	When first round will be taken
Lead & Copper	2 Initial rounds 6-months apart. 5 Samples in each round.	0	January and June 2026	Between July and December 2026

- If you have health issues concerning the consumption of this water, you may wish to consult your doctor.

What happened? What is being done?

We collected five samples and one location was not accepted. Re-sampling is complete.

Description of corrective action:

Five valid re-samples were collected on 09/10 and results are pending.

We anticipate resolving the problem within the estimated time frame: December 31, 2026

Disclosure: Be advised that the California Health and Safety Code sections 116725 and 116730 state that any person who knowingly makes any false statement on any report or document submitted for the purpose of compliance with the Safe Drinking Water Act may be liable for a civil penalty not to exceed five thousand dollars (\$5,000) for each separate violation or, for continuing violations, for each day that violation continues, or may be charged with a misdemeanor, punishable with a fine of up to \$25,000 for each day of violation, or by imprisonment in the county jail not to exceed one year, or by both the fine and imprisonment.

For more information, please contact:

Name of Contact Max Olvera, Vice President, Turlock Auction Yard, Inc.

Phone Number 209-634-4326

Mailing Address P.O. Box 3030, Turlock, CA 95381

Please share this information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this public notice in a public place or distributing copies by hand or mail.

Secondary Notification Requirements

Upon receipt of notification from a person operating a public water system, the following notification must be given within 10 days [Health and Safety Code Section 116450(g)]:

- **SCHOOLS:** Must notify school employees, students, and parents (if the students are minors).
- **RESIDENTIAL RENTAL PROPERTY MANAGERS OR MANAGERS** (including nursing homes and care facilities): Must notify tenants.
- **BUSINESS PROPERTY MANAGERS, MANAGERS, OR OPERATORS:** Must notify employees of businesses located on the property.

This notice is being sent to you by Turlock Auction Yard, Inc Water System in compliance with the California Domestic Water Quality and Monitoring Regulations as a means of keeping the public informed.

State Water System ID: CA2400014 Date distributed: 09/28/2026